



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Tuesday, October 05, 2021** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/Plumbing/Listings.asp?Company=C0560152&Standard=OMP&>

MP Mechanical Plumbing Products

BLUCHER Metal A/S

Pugdølvej 1

7480 Vildbjerg

Denmark

45 99 92 08 00

[Visit this company's website \(http://www.blucher.com\)](http://www.blucher.com)

Facility : Spindale, NC

Product Type	Material Type	Trade Name	Product Standard
<i>Floor Cleanout</i> § [1] BCO-110 Series Floor Cleanout w/ Square Top, Pull Nipple	304 & 316 SS BCO-114	BCO Series BCO-116	ASME A112.6.3 BCO-120 Series Floor Cleanout w/ Square Top for Vacuum Handle
BCO-124	BCO-126	BCO 130 Series Cleanouts- Heavy Duty Floor Cleanout w/ Sq. Top for Vacuum Handle	BCO-134
BCO-136	BCO-140 Series Floor Cleanout w/ Round Top, Pull Nipple	BCO-144	BCO-150 Series Floor Cleanout w/ Round Top for Vacuum Handle
BCO-154	BCO-220 Series Floor Cleanout w/ Surface Membrane Clamp for Vacuum Handle	BCO-224	

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[1] BCO Cleanouts

Load Rating: Heavy Duty (HD)

316 - Type 316 Stainless Steel

VH4 - Small Vacuum Handle

VH6 - Large Vacuum Handle

<i>Floor Drains</i> § [2] BFD-576[3]	304 & 316 SS BFD-110 Series - Adjustable Floor Drain w/ 8" x 8" Square Top, Membrane Clamp	<i>BFD Series</i> BFD-112	ASME A112.6.3 BFD-114
BFD-130 Series - Adjustable Floor Drain w/ 12" x 12" Square Top, Membrane Clamp	BFD-132	BFD-134	BFD-136
BFD-210 Series - On-Grade Adjustable Floor Drain w/ 8" x 8" Square To	BFD-212	BFD-214	BFD-230 Series - On-Grade Adjustable Floor Drain w/ 12" x 12" Square Top
BFD-232	BFD-234	BFD-236	BFD-320 Series - Sanitary Floor Drain w/ 8" x 8" Square Top
BFD-324	BFD-340 Series - Sanitary Floor Drain w/ 12" x 12" Square Top	BFD-343	BFD-344
BFD-346	BFD-420 Series - Sanitary Floor Drain w/ 8" Round Top	BFD-422	BFD-424
BFD-440 Series - Sanitary Floor Drain w/ 12" Round Top	BFD-444	BFD-446	BFD-510 Series - Sanitary Floor Drain w/ 8" Round Top, Surface Membrane Clamp
BFD-512	BFD-514	BFD-530 Series - Sanitary Floor Drain w/ 12" Round Top, Surface Membrane Clamp	BFD-534
BFD-536	BFD-550 Series - Sanitary Floor Drain w/ 8" x 8" Square Top	BFD-552	BFD-554
BFD-560 Series - Sanitary Floor Drain w/ 12" x 12" Square Top	BFD-564	BFD-566	BFD-570 Series - Sanitary Floor Drain w/ 12" Round Top[3]
BFD-574 - SO[3]			

[3] BFD Series Round Drains approved for bottom and side outlet sizes 4" and 6".

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[2] BFD Series Drains approved for bottom and side outlet sizes 2", 4" and 6"

Suffix indicates model options
 No suffix indicates bottom outlet
 SO - Side Outlet
 316 - Type 316 Stainless Steel
 B - Sediment Basket
 DS - Dome Strainer
 P - Stainless Steel P-Trap
 SB - Sand Bucket
 TPT - Trap Primer tapping
 VP - Grate Secured w/ Vandal Proof Screws

Grate Options:

HG - Hygenic-Pro (Heavy Duty), which includes the following grates:

BHG-8
BHG-12

LG - Ladder (Extra Heavy Duty), which includes the following grates:

BLG-8
BLG-12

MG - Mesh (Heavy Duty), which includes the following grates:

BMG-8
BMG-12

SG - Slot (Heavy Duty), which includes the following grates:

BSG-8
BSG-12

Floor Drain§

BSS-102[4]

304 SS

BSS-302[4]

BSS Series

BSR-702[5]

ASME A112.3.1

BSR-802[5]

[4] BSS Series Drains approved for 2'' side outlet and bottom sizes (2")

Grate options (suffix):

None - Vienna (standard)

A - Athens

D - Detroit

[5] BSR Series Drains approved for 2'' side outlet and bottom sizes (2")

Grate options (suffix):

None - Vienna (standard)

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Trench Drain§ [6]

Series BT Trench Drains - 6" Wide Pre

Sloped Trench Drains

BT12

304 & 316 SS

BT6

BT Series

BT6-0

ASME A112.6.3

BTV6

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[6] Series BT Trench Drains - All grates have a maximum outlet size of 6", with the exception of BT6-SH6, which has a maximum pipe outlet size of 5".

Standard grate option is 1" mesh, which includes the following grates:

BTG-M6 (Heavy Duty)

BTG-M8 (Heavy Duty)

BTG-M12 (Medium Duty)

Suffixes indicating alternate grate options:

HG - Hygenic-Pro Grating, which includes the following grates:

BTG-H6 (Heavy Duty)
BTG-H8 (Heavy Duty)

LG - Ladder Grating, which includes the following grates:

BTG-L6 (Heavy Duty)
BTG-L8 (Heavy Duty)

SG - Slot Grating, which includes the following grates:

BTG-S6 (Heavy Duty)
BTG-S8 (Heavy Duty)

SH - Shower Grating, which includes the following grades:

BT6-SH6 (Light Duty)

XLG - Extra Heavy Duty Ladder Grating, which includes the following grades:

BTG-XL6 (Extra Heavy Duty)

BTG-XL8 (Extra Heavy Duty)

BTG-XL12 (Extra Heavy Duty)

Additional model options:

316 - Typer 316 Stainless Steel

B - Sediment Basket

E - Edge Infill

FC - Outlet w/ Flashing Flange & Clamp

LD - Grate Locking Device

P - Stainless Steel P-Trap

O - Outlet Box

<i>Trench Drains</i> §	<i>304 & 316 SS</i>	<i>BHG Series</i>	<i>ASME A112.6.3</i>
BHG series - HygienicPro Trench Drain[7]			

[7] BHG Series Round Drains w/ trench drain approved for bottom and side outlet sizes 4".

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

<i>Floor Drains</i> ¢ § [8]	<i>MLTPL</i>	<i>Blucher</i>	<i>ASME</i> <i>A112.18.2/CSA</i> <i>B125.2</i>
BWC-172	BWC-148	BWC-142	BWC-136
BWC-130	BWC-126	BWC-100 Series	BWC-160
		Drains- Waterline Shower Channel w/ Sheet Membrane Clamp	

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[8] BWC Series ranges in length from 26" to 72"

The following options are available:

None - Vienna (standard) Grate

C - Copenhagen Grate

61 - 2" (50 mm) ABS Socket

THD - 2" (50 mm) threaded cast iron

VP - Vandal Proof Grate

Facility : Fort Worth, TX

Product Type	Material Type	Trade Name	Product Standard
<i>Trench Drains</i> §	<i>MLTPL</i>	<i>Blucher</i>	<i>ASME A112.6.3</i>
BHG Series - HygienicPro Trench Drain[1]	BT12[2]	BT6[2]	BT6-o[2]

BTV6[2]

Series BT Trench Drains - 6" Wide Pre-Sloped Trench Drains[2]

[1] BHG Series Round Drains w/ trench drain approved for bottom and side outlet sizes 4".

[2] Series BT Trench Drains- All grates have a maximum pipe outlet size of 6'', with the exception of BT6-SH6, which has a maximum pipe outlet size of 5".

Standard grate option is 1'' mesh, which includes the following grates:

BTG-M6 (Heavy Duty)

BTG-M8 (Heavy Duty)

BTG-M12 (Medium Duty)

Suffixes indicating alternate grate options:

-HG - Hygenic-Pro Grating, which includes the following grates:

BTG-H6 (Heavy Duty)

BTG-H8 (Heavy Duty)

-LG = Ladder Grating, which includes the following grates:

BTG-L6 (Heavy Duty)

BTG-L8 (Heavy Duty)

-SG - Slot Grating, which includes the following grates:

BTG-S6 (Heavy Duty)

BTG-S8 (Heavy Duty)

-SH - Shower Grating, which includes the following grates:

BT6-SH6 (Light Duty)

-XLG - Extra Heavy Duty Ladder Grating, which includes the following grates:

BTG-XL6 (Extra Heavy Duty)

BTG-XL8 (Extra Heavy Duty)

BTG-XL12 (Extra Heavy Duty)

Additional model options:

-316 - Type 316 Stainless Steel

-B - Sediment Basket

-E - Edge Infill

-FC - Outlet w/ Flashing Flange & Clamp

-LD - Grate Locking Device

-P - Stainless Steel

P - Trap

-O - Outlet Box

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Facility : Vildbjerg, Denmark

Product Type	Material Type	Trade Name	Product Standard
<i>Floor Cleanout</i> § [1] BCO-110 Series Floor Cleanout w/ Square Top, Pull Nipple	304 & 316 SS BCO-114	BCO Series BCO-116	ASME A112.6.3 BCO-120 Series Floor Cleanout w/ Square Top for Vacuum Handle
BCO-124	BCO-126	BCO 130 Series Cleanouts- Heavy Duty Floor Cleanout	BCO-134

BCO-136	BCO-140 Series Floor Cleanout w/ Round Top, Pull Nipple	w/ Sq. Top for Vacuum Handle BCO-144	BCO-150 Series Floor Cleanout w/ Round Top for Vacuum Handle
BCO-154	BCO-220 Series Floor Cleanout w/ Surface Membrane Clamp for Vacuum Handle	BCO-224	

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[1] BCO Cleanouts

Load Rating: Heavy Duty (HD)
316 - Type 316 Stainless Steel
VH4 - Small Vacuum Handle
VH6 - Large Vacuum Handle

<i>Floor Drains</i> § [2]	304 & 316 SS	<i>BFD Series</i>	<i>ASME A112.6.3</i>
BFD-576[3]	BFD-110 Series - Adjustable Floor Drain w/ 8" x 8" Square Top, Membrane Clamp	BFD-112	BFD-114
BFD-130 Series - Adjustable Floor Drain w/ 12" x 12" Square Top, Membrane Clamp	BFD-132	BFD-134	BFD-136
BFD-210 Series - On-Grade Adjustable Floor Drain w/ 8" x 8" Square To	BFD-212	BFD-214	BFD-230 Series - On-Grade Adjustable Floor Drain w/ 12" x 12" Square Top
BFD-232	BFD-234	BFD-236	BFD-320 Series - Sanitary Floor Drain w/ 8" x 8" Square Top
BFD-324	BFD-340 Series - Sanitary Floor Drain w/ 12" x 12" Square Top	BFD-343	BFD-344
BFD-346	BFD-420 Series - Sanitary Floor Drain w/ 8" Round Top	BFD-422	BFD-424
BFD-440 Series - Sanitary Floor Drain w/ 12" Round Top	BFD-444	BFD-446	BFD-510 Series - Sanitary Floor Drain w/ 8" Round Top, Surface Membrane Clamp
BFD-512	BFD-514	BFD-530 Series - Sanitary Floor Drain w/ 12" Round Top, Surface Membrane Clamp	BFD-534
BFD-536	BFD-550 Series - Sanitary Floor Drain w/ 8" x 8" Square Top	BFD-552	BFD-554
BFD-560 Series - Sanitary Floor Drain w/ 12" x 12" Square Top	BFD-564	BFD-566	BFD-570 Series - Sanitary Floor Drain w/ 12" Round Top[3]
BFD-574 - SO[3]			

[3] BFD Series Round Drains approved for bottom and side outlet sizes 4" and 6".

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[2] BFD Series Drains approved for bottom and side outlet sizes 2", 4" and 6"

Suffix indicates model options

No suffix indicates bottom outlet

SO - Side Outlet

316 - Type 316 Stainless Steel

B - Sediment Basket

DS - Dome Strainer

P - Stainless Steel P-Trap

SB - Sand Bucket

TPT - Trap Primer tapping

VP - Grate Secured w/ Vandal Proof Screws

Grate Options:

HG - Hygenic-Pro (Heavy Duty), which includes the following grates:

BHG-8

BHG-12

LG - Ladder (Extra Heavy Duty), which includes the following grates:

BLG-8

BLG-12

MG - Mesh (Heavy Duty), which includes the following grates:

BMG-8

BMG-12

SG - Slot (Heavy Duty), which includes the following grates:

BSG-8

BSG-12

Floor Drain§

BSS-102[4]

304 SS

BSS-302[4]

BSS Series

BSR-702[5]

ASME A112.3.1

BSR-802[5]

[4] BSS Series Drains approved for 2'' side outlet and bottom sizes (2")

Grate options (suffix):

None - Vienna (standard)

A - Athens

D - Detroit

[5] BSR Series Drains approved for 2'' side outlet and bottom sizes (2")

Grate options (suffix):

None - Vienna (standard)

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

Trench Drain§ [6]

Series BT Trench Drains - 6" Wide Pre

Sloped Trench Drains

BT12

304 & 316 SS

BT6

BT Series

BT6-0

ASME A112.6.3

BT6

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform

Plumbing Code™.

- [6] Series BT Trench Drains - All grates have a maximum outlet size of 6", with the exception of BT6-SH6, which has a maximum pipe outlet size of 5".

Standard grate option is 1" mesh, which includes the following grates:

BTG-M6 (Heavy Duty)
BTG-M8 (Heavy Duty)
BTG-M12 (Medium Duty)

Suffixes indicating alternate grate options:

HG - Hygienic-Pro Grating, which includes the following grates:

BTG-H6 (Heavy Duty)
BTG-H8 (Heavy Duty)

LG - Ladder Grating, which includes the following grates:

BTG-L6 (Heavy Duty)
BTG-L8 (Heavy Duty)

SG - Slot Grating, which includes the following grates:

BTG-S6 (Heavy Duty)
BTG-S8 (Heavy Duty)

SH - Shower Grating, which includes the following grates:

BT6-SH6 (Light Duty)

XLG - Extra Heavy Duty Ladder Grating, which includes the following grates:

BTG-XL6 (Extra Heavy Duty)
BTG-XL8 (Extra Heavy Duty)
BTG-XL12 (Extra Heavy Duty)

Additional model options:

316 - Typer 316 Stainless Steel
B - Sediment Basket
E - Edge Infill
FC - Outlet w/ Flashing Flange & Clamp
LD - Grate Locking Device
P - Stainless Steel P-Trap
O - Outlet Box

<i>Trench Drain§</i>	<i>304 & 316 SS</i>	<i>BHG Series</i>	<i>ASME A112.6.3</i>
BHG series - HygienicPro Trench Drain[7]			

- [7] BHG Series Round Drains w/ trench drain approved for bottom and side outlet sizes 4".

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

<i>Floor Drains§ [8]</i>	<i>MLTPL</i>	<i>Blucher</i>	<i>ASME</i>
			<i>A112.18.2/CSA</i>
			<i>B125.2</i>
BWC-172	BWC-148	BWC-142	BWC-136
BWC-130	BWC-126	BWC-100 Series	BWC-160
		Drains-	
		Waterline	
		Shower Channel	
		w/ Sheet	
		Membrane	
		Clamp	

¢ Product is authorized to bear the cNSF and/or the cNSFus Mark.

§ Product is Certified to the Uniform Plumbing Code™. Installation in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code™.

[8] BWC Series ranges in length from 26" to 72"

The following options are available:

None - Vienna (standard) Grate

C - Copenhagen Grate

61 - 2" (50 mm) ABS Socket

THD - 2" (50 mm) threaded cast iron

VP - Vandal Proof Grate

Number of matching Manufacturers is 1

Number of matching Products is 154

Processing time was 0 seconds